





Detachable box magazines are available in 2, 5, 7 or 10 shotshell capacity.




Flash Suppressor included. included.





Adjustable fiber optic front sight and flash suppressor.

Model	Gauge	Chamber	Stock & Forend						Box Magazine Capacity Options			Safety	Average Weight
Escort BM12	12 GA	3" / 76 mm	Polymer Pistol Grip Stock with shotshell holder	Rubber	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel	18" / 46 cm	40.3" / 102.5 cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	0 2lbs / 2 7Flss
ESCOIL BIVITZ	12 GA	Magnum	with shotshell holder	Kubbei	Picatinny rail fitted	Heat shield fitted. Flash Supressor fitted	20" / 51cm	42.3" / 107.5 cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	8,3105 / 3,73Kg




- Box Magazines are available in 2, 5, 7 or 10 shotshell capacity.
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs.
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights.
- Picatinny rail fitted on aircraft alloy receiver.
- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.

- Ergonomic design forend with 3 picatinny rails.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
- All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Box Magazines are available in 2, 5, 7 or 10 shotshell capacity.
- Sling swivels on stock and magazine cap.











Model	Cours	Chambar	Stock & Forend	Recoil	Receiver	Barrel	Barrel	Overall	Length	Box Magazine	Available	Sight	Safety	Average
Wodei	Gauge	Chamber	Forend	Pad	Keceiver	Баггеі	Length	Butt Shortened	Butt Extended	Capacity Options	Chokes	Signt	Salety	Weight
Escort	12 GA	3" / 76mm	Telescopic Stock with Pistol Grip	Dubbar	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel,	18" / 46cm	36.4" / 92.5cm	40.3" / 102.5cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	0 Elbs / 2 0Elva
Escort BM12-TS	12 GA	Magnum	with Pistol Grip	Rubbei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	38.4" / 97.5cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	8,5IDS / 3,85Kg



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Butt Shortened		Box Magazine Capacity Options			Safety	Average Weight
Escort	12.04	3" / 76mm	Side folding stock	Dubbar	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted, Flash Supressor fitted	18" / 46cm	30.5" / 77.5cm	40.3" / 102.5cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	0.2lbs / 2.7Flss
Escort BM12-SFS	12 GA	Magnum	polymer forend	Kubbei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	32.5" / 82.5cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	8,3105 / 3,75kg



4	Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length			Box Magazine Capacity Options			Safety	Average Weight
	Escort	12 GA	3" / 76mm	Top folding stock	Dubbar	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted, Flash Supressor fitted	18" / 46cm	31.1" / 79cm	40.3" / 102.5cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	0 Flbs / 2 0Flcs
	Escort BM12- TFS	12 GA	Magnum	polymer forend	Kubbei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	33.1" / 84cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	8,3IDS / 3,83Kg





Tactical over sleeve forend fitted version. Forend covers the barrel providing extended picantinny rail area and heatshield function.

- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical semi automatic shotgun with detachable box magazine. Also available in 20 gauge.
- Smart Valve Piston.
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs.
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights.
- Picatinny rail fitted on aircraft alloy receiver.
- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.

- Elastic material covered pistol grip for better feel and grip.
- Ergonomic design forend with integrated picatinny rail.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Box Magazines are available in 2, 5, 7 or 10 shotshell capacity.
- Sling swivels on stock and magazine cap.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Box Magazine Capacity Options	Available Chokes	Sight	Safety	Average Weight
Escort	12 GA	3" / 76 mm	Polymer Pistol Grip Stock	Rubber	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel,	18" / 46 cm	40.3" / 102.5 cm		*	dilost filly, fiber optic,	Manual cross	8.6 lbs / 3.9 kg
Raider	(gas operated)	Magnum	with shotshell holder	Kubbei	Picatinny rail fitted	Heat Shield and Flash Supressor fitted	20" / 51cm	42.3" / 107.5 cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	0.0 IDS / 3.9 Kg
Escort	20 GA	3" / 76 mm	Polymer Pistol Grip Stock	Rubber	Air craft allow Plack anodiced Pl	Black chrome finished Ni-Cr-Mo steel,	18" / 46 cm	40.3" / 102.5 cm		-	dilust filly, fibel optic,	Manual cross	7,7 lbs / 3.5 kg
Raider 20	(gas operated)	Magnum	with shotshell holder	ruppei		Heat Shield and Flash Supressor fitted	20" / 51cm	42.3" / 107.5 cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	7,7 IUS / 3.3 Kg

















Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Butt Shortened	Length Butt Extended	Box Magazine Capacity Options	Available Chokes	Sight	Safety	Average Weight
Escort	12 GA	3" / 76mm	Telescopic Stock	Dubbas	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted, Flash Supressor fitted	18" / 46cm	36.4" / 92.5cm	40.3" / 102.5cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	O Ollas / Alex
Raider TS	(gas operated)	Magnum	with Pistol Grip	ruppei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	38.4" / 97.5cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	0.0IDS / 4Kg



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length			Box Magazine Capacity Options			Safety	Average Weight
Escort	12 GA	3" / 76mm	Side folding stock	Dubbar	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel,							Manual	8.6lbs / 3.9kg
Raider SFS	(gas operated)	Magnum	Side folding stock polymer forend	Kubbei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	32.5" / 82.5cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	cross button	8.6IDS / 3.9Kg



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length		Length Butt Extended	Box Magazine Capacity Options	Available Chokes	Sight	Safety	Average Weight
Escort	12 GA	3" / 76mm	Top folding stock	Dubbas	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel,	18" / 46cm	31.1" / 79cm	40.3" / 102.5cm	2/5/7/10	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	0 Olha / Alea
Raider TFS	(gas operated)	Magnum	polymer forend	Kubbei	Picatinny rail fitted	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted, Flash Supressor fitted	20" / 51cm	33.1" / 84cm	42.3" / 107.5cm	2/5/7/10	Fixed Cylinder	adjustable rear & front sight	button	8.8IDS / 4Kg






### **Escort Fast Loading System**

scort Fast Loading System enables faster and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading system provides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotauns.









from the magazine.



- Barrel Overall Length Magazine Available
  Length Butt Shortened Butt Extended Capacity Chokes 18" / 46cm 36" / 91cm 39" / 101cm 5+1 Fixed Cylinder Ghost ring, fiber optic, Manual cross 7.7lbs / 3.5kg Escort 12 GA 3" / 76mm Telescopic Stock Ventilated Air craft alloy, Black anodised, Black chrome finished Ni-Cr-Mo steel, MPA-TS (gas operated) Magnum with Pistol Grip Rubber Picatinny rail fitted Heat shield fitted, Flash Supressor fitted 20" / 51cm 38" / 96cm 42" / 106cm 7+1 Fixed Cylinder adjustable rear & front sight button
- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical semi automatic shotqun shotqun
- Patented "Smart Valve Piston" & "Fast Loading System"
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights
- Picatinny rail fitted on aircraft alloy receiver
- Metal construction inside, outside strong and durable advanced polymer compound telescopic stock with integrated pistol grip. Stock is removable enabling to use only with the pistol grip.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Elastic material covered pistol grip for better feel and grip

- Elastic butt plate for recoil absorption
- Ergonomic design forend with integrated picatinny rail
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish
- Manual cross-button trigger safety
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels
- 24"/61cm barrel in 10+1 magazine capacity version available.
- Magazine cut-off system for single shot
- Sling swivels on stock and magazine cap.





Magazine Cut-Off By pressing this button, you can retain hells in the magazine and can eject a shell om the chamber without feeding another one from the magazine.

Picatinny rail and ghost ring fiber optic rear sight.



Adjustable fiber optic front sight and flash suppressor.

Muzzle cap

included.



included.





### **Escort Fast Loading System**



scort Fast Loading System enables faster and asier loading into the magazine with one hand in he aiming position. It also unlocks bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.

OD green green stock version.



- Security & law enforcement purpose 12 or 20 gauge, 3" / 76 mm chamber tactical semi automatic shotgun shotgun.
- Fast Loading System & Smart Valve Piston.
- Magazine cut-off system for single shot.
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs.
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights.
- Picatinny rail fitted on aircraft alloy receiver.
- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.

- Elastic material covered pistol grip for better feel and grip. • Ergonomic design forend with integrated picatinny rail.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
- All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels.
- 24"/61cm barrel in 10+1 magazine capacity version available.
- Sling swivels on stock and magazine cap.



Escort MPA is also available in 20GA









Heat shield fitted on barrel and additional

picatinny rail beneath the forearm.





- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical pump action shotgun
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs
- Heat shield on barrel
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights
- Picatinny rail fitted on aircraft alloy receiver
- Metal construction inside, outside strong and durable advanced polymer compound telescopic stock with integrated pistol grip.
   Manual cross-button trigger safety Stock is removable enabling to use only with the pistol grip.
- Spacer shims to adjust the slope of the stock for a perfect fit.

- Elastic butt plate for recoil absorption
- Elastic material covered pistol grip for better feel and grip
- Ergonomic design long forend for fast and easy action
- Integrated picatinny rail on forend
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels
- Sling swivels on stock and magazine cap.









Picatinny rail and ghost ring

fiber optic rear sight.







- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical pump action shotgun.
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs.
- Heat shield on barrel.
- Flash suppressor and additional muzzle cap is included. Door buster is optional.
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights.
- Picatinny rail fitted on aircraft alloy receiver.
- 2-Shotshells holder insert on stock for emergency.
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.
- Spacer shims to adjust the slope of the stock for a perfect fit.

- Elastic material covered pistol grip for better feel and grip.
- Integrated picatinny rail on forend.
- Ergonomic design long forend for fast and easy action.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels.
- Sling swivels on stock and magazine cap.















- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical pump action shotgun
   Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs
- Fiber optic front sight
- Heat shield on barrel
- Ergonomic design long forend for fast and easy action
- Integrated picatinny rail on forend
- Metal construction inside, outside strong and durable advanced polymer compound telescopic stock with integrated pistol grip. Stock is removable enabling to use only with the pistol grip.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Elastic butt plate for recoil absorption
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof
- Tough black matte finish
- Manual cross-button trigger safety
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels
- Sling swivels on stock and magazine cap.



Fiber optic rear front sight


















- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical pump action shotgun.
   Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs.
   Spacer shims to adjust the slope of the stock for a perfect fit.
   Oxidation Proof Chrome plated barrels made of Chromium, N
- Fiber optic front sight.
- Heat shield on barrel.
- Integrated picatinny rail on forend.
- Ergonomic design long forend for fast and easy action.
   Strong and durable advanced polymer compound synthetic stock.
- 2-Shotshells holder insert on stock for emergency.

- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
  Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels.
- Sling swivels on stock and magazine cap.







icatinny rail and ghost ring fiber optic rear sight.

Adjustable fiber optic front sight and flash suppressor.

### **Escort Fast Loading System**



is available on all Escort semi auto shotguns.

 Elevation adjustable cheek piece. 2-Shotshells holder insert on stock for emergency.

Carrying slot on the stock for the wrench.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort Gladuis MPA20	20 GA	3" / 76 mm	Polymer pistol grip stock	Dubbas	Air craft alloy, Black anodised,	Black chrome finished Ni-Cr-Mo steel,	18" / 46 cm	40" / 101cm	5+1	Fixed Cylinder	Ghost ring, fiber optic, adjustable	Manual cross	7 Flba / 2 /le a
ESCOTE GIAGUIS IVIPAZO	(gas operated)	Magnum	with shot shellholder	Rubbei	Picatinny rail fitted	Heat shield fitted, Flash Supressor fitted	20" / 51cm	42" / 106cm	7+1	Fixed Cylinder	rear & front sight	button	7.5IDS / 3.4K g






Wrench for cheek piece adjustment screws and rear sight




shot shell.

00000000000000



- Patented "Smart Valve Piston" & "Fast Loading System"
- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs
- Heat shield on barrel
- Flash suppressor and additional muzzle cap is included. Door buster is
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights
- Picatinny rail fitted on aircraft alloy receiver
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.
- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.

- Elastic material covered pistol grip for better feel and grip
- Elastic butt plate for recoil absorption
- Ergonomic design long forend with 3 picatinny rails
- Foregrip with storage. Foregrip can be fitted at different locations on the
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish
- Manual cross-button trigger safety
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels
- Magazine cut-off system for single shot
- Sling swivels on stock and magazine cap.



perfect fit.



**Escort Gladius MPA20-Marine** 

Marine finish version.



Picatinny rail and ghost ring

fiber optic rear sight.

**AGLADIUS** 








• Elevation adjustable cheek piece. 2-Shotshells holder insert on stock for emergency. Wrench for cheek piece adjustment screws and rear sight


Carrying slot on the stock for the wrench.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort Gladuis MP20	20 GA	3" / 76 mm	Polymer pistol grip stock	Rubber	Air craft alloy ,Black anodised,	Black chrome finished Ni-Cr-Mo steel,	18" / 46 cm	40" / 101cm	5+1	Fixed Cylinder	Ghost ring, fiber optic,	Manual cross	7.3lbs / 3.3 kg
ESCOIL GIAGUIS IVIPZU	20 GA	Magnum	with shot shellholder	Kubbei		Heat shield fitted, Flash Supressor fitted				Fixed Cylinder	adjustable rear & front sight	button	7.3IDS / 3.3 Kg



- Fixed cylinder choke 18" (46 cm) or 20" (51 cm) slug barrel for shot or slugs
- Heat shield on barrel
- Flash suppressor and additional muzzle cap is included. Door buster is
- Ghost ring adjustable rear sight integrated on the picatinny rail and adjustable front sight with fiber optic sights
- Picatinny rail fitted on aircraft alloy receiver
- Strong and durable advanced polymer compound synthetic stock with integrated pistol grip.
- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.

- Elastic material covered pistol grip for better feel and grip
- Elastic butt plate for recoil absorption
- Ergonomic design long forend with 3 picatinny rails
- Foregrip with storage. Foregrip can be fitted at different locations on the
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish
- Manual cross-button trigger safety
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels
- Magazine cut-off system for single shot
- Sling swivels on stock and magazine cap.



Foregrip with storage for belongings or for an extra













- Security & law enforcement purpose 12 gauge, 3" / 76 mm chamber tactical pump action shotgun.
- Fixed cylinder choke 14" (36 cm) slug barrel for shot or slugs.
- Magazine capacity: 5+1
- Fiber optic front sight.
- Heat shield on barrel.
- Ergonomic design long forend for fast and easy action.
- Integrated picatinny rail on forend.
- Strong and durable advanced polymer compound synthetic stock.

- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Sling swivels on stock and magazine cap.
- Extra sling swivel between the receiver & stock.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Capacity	Chokes	Sight	Safety	Average Weight
Escort Defender	12 GA	3" / 76 mm Magnum	Polymer Stock with shotshell holder	Rubber	Air craft alloy, Black anodised	Black chrome finished Ni-Cr-Mo steel. Heat shield fitted	14" / 36 cm	34.2" / 87 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.4 lbs / 2.9 kg



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length		Magazine Capacity		Sight	Safety	Average Weight
Escort Defender-Marine	12 GA	3" / 76 mm Magnum	Polymer Stock with shotshell holder	Rubber	Air craft alloy, White Nickel finish	White Nickel finished Ni-Cr-Mo steel, Heat shield fitted	14" / 36 cm	34.2" / 87 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.4 lbs / 2.9 kg



**Escort Defender-SFS** 

Side folding stock version.




Escort Defender-SFS 12 GA 3" / 76 mm Magnum Polymer Forend Rubber Black anodised Heat shield fitted Heat shield fitted 14" / 36 cm 24" / 61 cm 34.2" / 87 cm 5+1

### **Escort AutoDefend**

14" (36cm) BARREL SEMI AUTO





- Magazine cut-off system for single shot.
- Magazine capacity: 5+1
- Fiber optic front sight.
- Heat shield on barrel.
- Integrated picatinny rail on forend.
- Ergonomic design long forend for fast and easy action.
- Strong and durable advanced polymer compound synthetic stock.

- 2-Shotshells holder insert on stock for emergency.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Sling swivels on stock and magazine cap.
- Extra sling swivel between the receiver & stock

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AutoDefend	12 GA (gas operated)	3" / 76 mm Magnum	Polymer Stock with shotshell holder	Rubber	Air craft alloy, Black anodised	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted	14" / 36 cm	34.2" / 87 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.8lbs / 3.1 kg





	Escort AutoDefend-Marine Marine finish version.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length		Magazine Capacity		Sight	Safety	Average Weight
Escort AutoDefend-Marine	12 GA (gas operated)	3" / 76 mm Magnum	Polymer Stock with shotshell holder		Air craft alloy, White Nickel finish	White Nickel finished Ni-Cr-Mo steel, Heat shield fitted	14" / 36 cm	34.2" / 87 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	6.8lbs / 3.1 kg





**Escort AutoDefend-SFS** Side folding stock version.

Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel	Barrel Length	ll Length Butt Extended	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AutoDefend-SFS	12 GA	3" / 76 mm	Side Folding Stock,	Ventilated	Air craft alloy,	Black chrome finished Ni-Cr-Mo steel,						Manual cross	7 lbs / 3.2 kg



Model	Gauge	Chamber	Stock & Fore-end	Recoil Pad	Receiver	Barrel		Butt Folded	Butt Extended	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AutoDefend-TFS	12 GA (gas operated)	3" / 76 mm Magnum	Top Folding Stock, Polymer Forend	Ventilated Rubber	Air craft alloy, Black anodised	Black chrome finished Ni-Cr-Mo steel, Heat shield fitted	14" / 36 cm	24" / 61cm	34.2" / 87 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	7.5 lbs / 3.4 kg





- Security & law enforcement purpose 12 or 20 gauge, 3" / 76 mm chamber pump action shotgun.
  18" (46 cm) or 20" (51 cm) slug barrel with fiber optic front sight.
  Fixed cylinder choke for shot or slugs.
  Elastic butt pad for recoil absorption.

- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Tough black matte finish.
- Aircraft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.

- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels.
  Accessory pistol grip comes in its box at no additional cost (12 gauge models only).
- Folding stock is available at a reasonable cost (12 gauge models only).
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AimGuard	12.04	3" / 76 mm	Polymer	Dubbar	Air craft alloy,	Black chrome finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	6.4 lbs / 2.9 ka
ESCOIL AIIIIGUAIU	12 GA	3" / 76 mm Magnum	Polymer	Kubbei	Black anodised	Ni-Cr-Mo steel		40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	6.4 IDS / 2.9 Kg
Feent AimCoard 20	20.04	3" / 76 mm	Dalumar	Dubbas	Air craft alloy,	Black chrome finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	F F lbs / 2 F lss
Escort AimGuard 20	20 GA	3" / 76 mm Magnum	Polymer	Kupper	Black anodised	Ni-Cr-Mo steel		40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	5.5 lbs / 2.5 kg





Fiber Optic Front Sight is included



Mod	del	Gauge	Chamber	Stock & Forend		Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Esco	ort	12 GA	3" / 76 mm	Polymer	Dubbar	Air craft alloy,	White nickel finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	6.4 lbs / 2.9 ka
MarineG	Guard	12 GA	Magnum	Polymer	Kubbei		Ni-Cr-Mo steel	20" / 51cm	40" / 100 cm		Fixed Cylinder	f	cross button	0.4 IDS / 2.9 Kg
Esco	ort	20 GA	3" / 76 mm	Dalumar	Dubbar	Air craft alloy, Wi	White nickel finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	5.5 lbs / 2.5 ka
Esco MarineGu	uard 20	20 GA	3" / 76 mm Magnum	Polymer	Kubbei	Air craft alloy, White nickel finish	Ni-Cr-Mo steel	20" / 51cm	40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	5.5 IDS / 2.5 Kg



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length		ll Length Butt Extended	Magazine Capacity		Sight	Safety	Average Weight
Escort AimGuard-SES	12.04	3" / 76 mm	Side folding stock	Dubbar	Air craft alloy,	Black chrome finished Ni-Cr-Mo steel	18" / 46 cm	28" / 71 cm	38" / 97 cm	5+1	Fixed Cylinder	Fiber optic	Manual	6.8 lbs / 3.1 kg
ESCORT AIMGUARG-SFS	12 GA	Magnum	polymer forend	Kubber	Black anodised	Ni-Cr-Mo steel	20" / 51cm	30" / 76 cm	40" / 102 cm	7+1	Fixed Cylinder	front sight	cross button	6.8 IDS / 3.1 Kg



Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length		ll Length Butt Extended		Available Chokes	Sight	Safety	Average Weight
Feest Nim Cuard TEC	12.04	3" / 76 mm	Top folding stock	Dubbar	Air craft alloy,	Black chrome finished	18" / 46 cm	28" / 71 cm	38" / 97 cm	5+1	Fixed Cylinder	Fiber optic	Manual	7.2 lbs / 2.4 lss
Escort AimGuard-TFS	12 GA	Magnum	polymer forend	rupper	Black anodised				40" / 102 cm	7+1	Fixed Cylinder	front sight	cross button	7.3 lbs / 3.4 kg



Model	Gauge	Chamber	Stock & Forend	Receiver	Barrel	Barrel Length		Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort AimGuard-PG	12 C A	3" / 76 mm	Pistol grip	Air craft alloy,	Black chrome finished	18" / 46 cm	28" / 71 cm	5+1	Fixed Cylinder	Fiber optic	Manual	5.5 lbs / 2.5 kg
ESCOIT AIIIIGUAIU-PG	12 GA	Magnum	polymer forend	Black anodised	Ni-Cr-Mo steel		30" / 76 cm	7+1	Fixed Cylinder	front sight	cross button	5.5 lbs / 2.5 kg

### **Escort PS Guard** SEMI AUTO



- auto shotgun.

   Patented "Smart Valve Piston" & "Fast Loading System"

- Magazine cut-off system for single shot.
  Fast Loading System & Smart Valve Piston.
  18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- - Air craft alloy receiver.
  - Advanced polymer compound synthetic stock for strength and durability.
    Spacer shims to adjust the slope of the stock for a perfect fit.
    Elastic butt pad for recoil absorption.

  - Manual cross-button trigger safety.
  - Magazine capacity: 7+1 in 20" / 51 cm barrels. 5+1 in 18" / 46 cm barrels.

**Escort PS Guard** 

- Magazine cut-off system for single shot.
- Sling swivels.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort	12 GA	3" / 76 mm	Polymer	Rubber	Air craft alloy,	Black chrome finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	6.6 lbs/3 kg
PS Guard	(gas operated)	Magnum	rolylliel	Kubbei	Black anodised	dioy, black chrome mished	20" / 51 cm	40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	0.0 IDS/3 Kg
Escort	20 GA	3" / 76 mm	Polymer	Rubber	Air craft alloy,	Black chrome finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	F 7 lbs/2 C ls
PS Guard 20	(gas operated)	Magnum	Polymer	Kubbei	Black anodised	Ni-Cr-Mo steel	20" / 51cm	40" / 100 cm		Fixed Cylinder	front sight	cross button	5.7 lbs/2.6 kg





Fiber Optic Front Sight is included



	Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
	Escort PS	12 GA	3" / 76 mm	Polvmer	Rubber	Air craft alloy,	White nickel finished	18" / 46 cm	38" / 96 cm		Fixed Cylinder			6.6 lbs/3 ka
	MarineGuard	(gas operated)	Magnum	rolylliel	Kubbei	White nickel finish	Ni-Cr-Mo steel	20" / 51 cm	40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	0.0 IDS/3 Kg
k is	Escort PS	20 GA	3" / 76 mm	Polvmer	Rubber	Air craft alloy,	White nickel finished	18" / 46 cm	38" / 96 cm	5+1	Fixed Cylinder	Fiber optic	Manual	5.7 lbs/2.6 ka
ion	MarineGuard 20	(gas operated)	Magnum	rolymer	Rubbel	White nickel finish	Ni-Cr-Mo steel	20" / 51cm	40" / 100 cm	7+1	Fixed Cylinder	front sight	cross button	3.7 IDS/2.0 Kg





Side folding stock version.

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length		ll Length Butt Extended	Magazine Capacity		Sight	Safety	Average Weight
Escort PS Guard-SFS	12 GA 3" (gas operated) Ma	3" / 76 mm	/ 76 mm Side folding stock, lagnum Polymer forend	Rubber	Air craft alloy, Black anodised	Black chrome finished Ni-Cr-Mo steel	18" / 46 cm	28" / 71 cm	38" / 97 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	7 lbs / 3.2 kg
		perated) Magnum					20" / 51cm	30" / 76 cm	40" / 102 cm	7+1	Fixed Cylinder			





Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length		ll Length Butt Extended	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort PS Guard-TFS	12 GA 3" / 76 mm (gas operated) Magnum	n Top folding stock,	Dubbar	Air craft alloy,	Black chrome finished	18" / 46 cm	28" / 71 cm	38" / 97 cm	5+1	Fixed Cylinder	Fiber optic	Manual	7 F lbs / 2 F lss	
		operated) Magnum	Polymer forend	Kubbei	Black anodised				40" / 102 cm	7+1	Fixed Cylinder	Fiber optic Manua front sight cross butt	cross button	7.5 IDS / 3.5 Kg



Mode		Gauge	Chamber	Stock & Forend	Receiver	Barrel	Barrel Length	Overall Length	Magazine Capacity	Available Chokes	Sight	Safety	Average Weight
Escort PS Guard-PG	12 GA (gas operated)	3" / 76 mm Magnum	Pistol grip, Polymer forend	Air craft alloy, Black anodised	Black chrome finished Ni-Cr-Mo steel	18" / 46 cm	28" / 71 cm	5+1	Fixed Cylinder	Fiber optic front sight	Manual cross button	5.6 lbs / 2.6 kg	
						20" / 51 cm	30" / 76 cm	7+1	Fixed Cylinder				

## Accessories

Serious. Solid. Impact.

















# TACTICAL & LAW ENFORCEMENT SHOTGUNS





#### HATSAN **ARMS COMPANY**

Factory: Kemalpasa O.S.B. Mahallesi , Ansizca Sanayi Sitesi No: 303, Kemalpasa, 35730, Izmir - TURKEY Office: Ansizca Koyu Sogutcuk Mevkii No: 2, Kemalpasa, 35730, Izmir, TURKEY Tel: +90 (232) 878 91 00 • Fax: +90 (232) 878 91 02 - 878 97 23 info@hatsan.com.tr



www.hatsan.com.tr www.escortshotguns.com

facebook.com/hatsan.com.tr



twitter.com/hatsan\_arms



youtube.com/hatsanarms